
Jeep®
SAFETY
FOOTWEAR
AUTHENTIC
TO THE CORE


Jeep
SAFETY
FOOTWEAR



A WINNING TEAM

We are the exclusive licensees for the EMEA region (Europe, Middle East, and Africa) of the JEEP brand, with which we produce and distribute safety footwear in compliance with the EN ISO 20345:2022 standard. We are a well-known company in the industry, with a proven track record in the production and distribution of high-quality footwear.

As the licensee for the EMEA region of the JEEP brand, we are committed to maintaining the high standards of quality and innovation that the brand represents. We collaborate closely with the JEEP development team to ensure that every pair of footwear we produce faithfully reflects the values and reputation of the brand. Our partnership with JEEP allows us to combine our expertise in safety footwear with the renowned heritage of JEEP to create products that meet the needs of the most demanding workers.

Our collaboration with JEEP goes beyond the simple production and distribution of safety footwear, sharing a common vision of innovation, research, and constant development. We invest significant resources in the search for new technologies, materials, and designs to offer workers cutting-edge safety footwear that exceeds industry standards.

Our partnership with JEEP also enables us to benefit from the brand's synergies and resources, allowing us to reach a broad customer base and expand our presence in international markets. We are excited to bring JEEP safety footwear to the EMEA region, offering workers a range of high-quality footwear that ensures safety, comfort, and superior performance.

We are committed to developing and producing innovative, high-quality, environmentally-friendly safety footwear that aligns with the brand's values.


Jeep
SAFETY
FOOTWEAR
INDOOR
PRODUCT
Jeep
Jeep


Jeep
SAFETY
FOOTWEAR
PRODUCT
OUTDOOR
Jeep

Jeep
SAFETY
FOOTWEAR



THE HERITAGE OF ADVENTURE


Jeep
SAFETY
FOOTWEAR
INDOOR
PRODUCT
EXPLORING THIS EXQUISITE WORLD
IN SEARCH OF AUTHENTIC TRUTHS
AS PART OF A GLOBAL COMMUNITY
Jeep
ANTISTATIC
BREATHABLE
STEEL TOE
NON-SLIP
PUNCTURE
RESISTANT



Jeep SAFETY FOOTWEAR

FORCE ML/LL

258 Black/Yellow

RRP: 89,90 €

YM6200SS
Size: 42-48

YL6200SS
Size: 36-41

EN ISO 20345:2022+A1:2024 S3S FO SR ESD

Upper :	Technical Microfiber with TPU reinforcement
Lining :	Breathable 3D mesh fabric
Toe cap:	Fiberglass
Insole:	Anti-puncture “PS” textile insert
Insock :	Ultra Soft PU memory
Sole :	PU 2D

ESD

COMING SOON













Jeep SAFETY FOOTWEAR

FORCE ML/LL

062 Black

RRP: 89,90 €

YM6200SS Size: 42-48

YL6200SS Size: 36-41

EN ISO 20345:2022+A1:2024 S3S FO SR ESD

Upper :	Technical Microfiber with TPU reinforcement
Lining :	Breathable 3D mesh fabric
Toe cap:	Fiberglass
Insole:	Anti-puncture “PS” textile insert
Insock :	Ultra Soft PU memory
Sole :	PU 2D

ESD

COMING SOON













Jeep SAFETY FOOTWEAR

FORCE TRACK ML/LL

062 Black

RRP: 99,90 €

YM6210SS
Size: 42-48

YL6210SS
Size: 36-41

EN ISO 20345:2022+A1:2024 S3S FO SR ESD

Upper :	Technical Microfiber and Oxford Fabric with TPU reinforcement + Jeep Rotor System
Lining :	Breathable 3D mesh fabric
Toe cap:	Fiberglass
Insole:	Anti-puncture “PS” textile insert
Insock :	Ultra Soft PU memory
Sole :	PU 2D

ESD

COMING SOON













Jeep SAFETY FOOTWEAR

FORCE TRACK ML/LL

971 Military/Yellow RRP: 99,90 €

YM6210SS	YL6210SS
Size: 42-48	Size: 36-41

EN ISO 20345:2022+A1:2024 S3S FO SR ESD

Upper :	Technical Microfiber and Oxford Fabric with TPU reinforcement + Jeep Rotor System
Lining :	Breathable 3D mesh fabric
Toe cap:	Fiberglass
Insole:	Anti-puncture “PS” textile insert
Insock :	Ultra Soft PU memory
Sole :	PU 2D

ESD

COMING SOON





Jeep SAFETY FOOTWEAR

COMPASS 2.0 ML/LL

289 Black/Red RRP: 89,90 €

YM6310SS Size: 42-48

YL6310SS Size: 36-41

EN ISO 20345:2022+A1:2024 S3S FO SR ESD

Upper :	Microsuede/Fabric
Lining :	Breathable 3D mesh fabric
Toe cap:	Fiberglass
Insole:	Anti-puncture “PS” textile insert
Insock :	Ultre Soft PU memory
Sole :	PU 2D

ESD

COMING SOON





Jeep SAFETY FOOTWEAR

JEEPSTER 2.0 ML/LL

258 Black/Yellow RRP: 99,90 €

YM6320SS Size: 42-48

YL6320SS Size: 36-41

EN ISO 20345:2022+A1:2024 S3S FO SR ESD

Upper :	Microsuede/Fabric + JEEP ROTOR SYSTEM
Lining :	Breathable 3D mesh fabric
Toe cap:	Fiberglass
Insole:	Anti-puncture “PS” textile insert
Insock :	Ultre Soft PU memory
Sole :	PU 2D

ESD

COMING SOON













ENDURE ML

056 Dk. Grey

RRP: 129,90 €

YM6100SS

Size: 40-47

EN ISO 20345:2022+A1:2024 S1 PS FO SR ESD

Upper :	Technical breathable polyester RIPSTOP with TPU reinforcement
Lining :	Breathable 3D mesh fabric
Toe cap:	Fiberglass
Insole:	Anti-puncture “PS” textile insert
Insock :	Ultra Soft PU memory
Sole :	EVA Extrarebound Midsole + Rubber Outsole

ESD

In Stock













Jeep SAFETY FOOTWEAR

ENDURE ML

020 Military

RRP: 129,90 €

YM6100SS

Size: 40-47

EN ISO 20345:2022+A1:2024 S1 PS FO SR ESD

Upper :	Technical breathable polyester RIPSTOP with TPU reinforcement
Lining :	Breathable 3D mesh fabric
Toe cap:	Fiberglass
Insole:	Anti-puncture “PS” textile insert
Insock :	Ultra Soft PU memory
Sole :	EVA Extra rebound Midsole + Rubber Outsole

ESD

In Stock













ENDURE TRACKED ML

062 Black

RRP: 139,90 €

YM6110SS

Size: 40-47

EN ISO 20345:2022+A1:2024 S7S FO SR ESD

Upper :	Technical polyester JACQUARD with TPU reinforcement
Lining :	Breathable 3D mesh fabric + Waterproof membrane
Toe cap:	Fiberglass
Insole:	Anti-puncture “PS” textile insert
Insock :	Ultra Soft PU memory
Sole :	EVA Extra rebound Midsole + Rubber Outsole

ESD

In Stock













Jeep SAFETY FOOTWEAR

ENDURE TRACKED ML

020 Military

RRP: 139,90 €

YM6110SS

Size: 40-47

EN ISO 20345:2022+A1:2024 S7S FO SR ESD

Upper :	Technical polyester JACQUARD with TPU reinforcement
Lining :	Breathable 3D mesh fabric + Waterproof membrane
Toe cap:	Fiberglass
Insole:	Anti-puncture “PS” textile insert
Insock :	Ultra Soft PU memory
Sole :	EVA Extra rebound Midsole + Rubber Outsole

ESD

In Stock











Jeep
SAFETY
FOOTWEAR

WHERE THE PAVEMENT ENDS ADVENTURE BEGINS




Jeep
SAFETY
FOOTWEAR
PRODUCT
OUTDOOR
EXPLORING THIS EXQUISITE WORLD
IN SEARCH OF AUTHENTIC TRUTHS
AS PART OF A GLOBAL COMMUNITY
Jeep
ANTISTATIC
BREATHABLE
STEEL TOE
NON-SLIP
PUNCTURE
RESISTANT



Jeep SAFETY FOOTWEAR

HAWK TOE MH

020 Military

RRP: 139,90 €

YM5100SN

Size: 40-47

EN ISO 20345:2022 + A1:2024
S3S CI HI LG SR HRO FO SC

Upper :	Nubuck Leather with TPU Reinforcement
Lining :	Breathable 3D mesh fabric
Toe cap:	Fiberglass
Insole:	Anti-puncture “PS” textile insert
Insock :	Ultre Soft PU memory
Sole :	PU Midsole + Rubber Outsole

In Stock













Jeep SAFETY FOOTWEAR

HAWK TOE MH

030 Dk. Brown

RRP: 139,90 €

YM5100SN

Size: 40-47

EN ISO 20345:2022+A1:2024
S3S CI HI LG SR HRO FO SC

Upper :	Nubuck Leather with TPU Reinforcement
Lining :	Breathable 3D mesh fabric
Toe cap:	Fiberglass
Insole:	Anti-puncture “PS” textile insert
Insock :	Ultre Soft PU memory
Sole :	PU Midsole + Rubber Outsole

In Stock













HAWK TOE MH

062 Black

RRP: 139,90 €

YM5100SN

Size: 40-47

EN ISO 20345:2022 + A1:2024
S3S CI HI LG SR HRO FO SC

Upper :	Nubuck Leather with TPU Reinforcement
Lining :	Breathable 3D mesh fabric
Toe cap:	Fiberglass
Insole:	Anti-puncture “PS” textile insert
Insock :	Ultre Soft PU memory
Sole :	PU Midsole + Rubber Outsole

In Stock













HAWK TOE ROTOR MH

096 Antharcite RRP: 149,90 €

YM5110SN

Size: 40-47

EN ISO 20345:2022+A1:2024
S3S CI HI LG SR HRO FO SC

Upper :	Nubuck Leather with TPU Reinforcement +Jeep Rotor System
Lining :	Breathable 3D mesh fabric
Toe cap:	Fiberglass
Insole:	Anti-puncture “PS” textile insert
Insock :	Ultre Soft PU memory
Sole :	PU Midsole + Rubber Outsole

In Stock













Jeep SAFETY FOOTWEAR

HAWK BOOT MH

030 Dk. Brown

RRP: 139,90 €

YM5120SN

Size: 40-47

EN ISO 20345:2022+A1:2024
S7S CI HI LG SR HRO FO SC

Upper :	Nubuck Leather with TPU Reinforcement
Lining :	Breathable 3D mesh fabric + Waterproof membrane
Toe cap:	Fiberglass
Insole:	Anti-puncture “PS” textile insert
Insock :	Ultre Soft PU memory
Sole :	PU Midsole + Rubber Outsole

In Stock













Jeep SAFETY FOOTWEAR

HAWK TATTING MH

020 Military

RRP: 149,90 €

YM5130SN

Size: 40-47

EN ISO 20345:2022+A1:2024
S7S CI HI LG SR HRO FO SC

Upper :	Technical polyester JACQUARD + microfibre with TPU reinforcement + JEEP ROTOR SYSTEM
Lining :	Breathable 3D mesh fabric + Waterproof membrane
Toe cap:	Fiberglass
Insole:	Anti-puncture “PS” textile insert
Insock :	Ultre Soft PU memory
Sole :	PU Midsole + Rubber Outsole

In Stock














LEGEND:

CATEGORY	CLASSIFICATION	REQUIREMENT
SB	I o II	Basic requirements
S1	I	SB+closed heel area + energy absorption in the heel area (E) + antistatic shoe (A)
S2	I	S1+water absorption and penetration of the upper (WPA)
S3	I	S2+penetration resistance (with metal insert) + cleated outsole
S3L	I	S2+penetration resistance (with non-metal insert, PL type) + cleated outsole
S3S	I	S2+penetration resistance (with non-metal insert, PS type) + cleated outsole
S4	II	SB+closed heel area + energy absorption in the heel area + antistatic shoe
S5	II	S4+penetration resistance (with metal insert) + cleated outsole
S5L	II	S4+penetration resistance (with non-metal insert, PL type) + cleated outsole
S5S	II	S4+penetration resistance (with non-metal insert, PS type) + cleated outsole
S6	I	S2+water resistance of entire shoe
S7	I	S3 (metal insert) + water resistance of entire shoe
S7L	I	S3 (non-metal insert, PL type) + water resistance of entire shoe
S7S	I	S3 (non-metal insert, PS type) + water resistance of entire shoe

SYMBOLS AND STANDARDS:

SYMBOL		PROTECTION CHARACTERISTIC	REQUIREMENT
P		Penetration resistance (metal insert)	≥1100 N
PL		Penetration resistance (non-metal insert, PL type)	No penetration at 1100 N
PS		Penetration resistance (non-metal insert, PS type)	Average penetration strength ≥1100 N Single penetration strength ≥950 N
C		Partially conductive footwear	Electrical resistance ≤100 kΩ
A		Antistatic footwear	Electrical resistance >100 kΩ and ≤1000 MΩ
HI		Insulation against heat at the sole	Temperature increase after 30 minutes to 150° C ≤22°C
CI		Insulation against the cold at the sole	Temperature decrease after 30 minutes to -17° C ≤10°C
E		Energy absorption at the heel	Absorbed energy ≥20 J
WR		Water resistance of entire shoe	No water penetration
M		Metatarsal protection	size 41 and 42 ≥40.0 mm
AN		Ankle protection	Transmitted energy: average value ≥10 kN single value ≥15 kN
CR		Cut resistant	Cut resistant index ≥2.5
SC		Abrasion resistance of the toe cap	No through-holes after 8,000 cycles
SR		Slip resistance (ceramic surface coated with glycerine)	≥0.19 (7° heel) ≥0.22 (7° toe)
WPA		Water absorption and penetration of the upper	Absorption ≤30% Penetration ≤0.2 g
HRO		Outsole resistance to hot contact	No signs of melting and/or breakage
FO		Fuel oil-resistant outsole	Volume increase ≤12%
LG		Ladder grab footwear	Resistance to abrasion of the waist and adequate size of the waist
Ø		Footwear without slip resistance	

ONLY FOR INTERNAL USE

Jeep®

SAFETY
FOOTWEAR

by BI&DO SRL
Via Panà 56 Bis
35027 Noventa Padovana (PD) - Italy
Ph- +39 049 8700006
https://safety.jeep-footwear.com - info@biedo.biz
P.iva 04307300287